

DESCRIPTION

The Olympus boot features a waterproof membrane carefully sewn into the upper to keep feet dry. It has both toe cap and midsole protection made from lightweight, metal free composite material, plus a heavy duty bump cap for added durability. The ultra hardwearing PU/rubber, HRO rated, anti-slip sole is heat resistant up to 300°C making it ideal for demanding environments, and Blackrock's padded EaziStep insole gives maximum comfort when you're on your feet for long periods.

SIZES

UK 6-13

STANDARDS

EN20345 S3 WR HRO SRC

KEY FEATURES

- · Waterproof leather upper
- Lightweight metal-free toe cap and midsole
- Heavy duty bump cap for added durability
- 300°C heat resistant, anti-slip, anti-static and fuel oil resistant PU/rubber sole
- Eazi-Step padded and breathable insole for comfort
- Energy absorbing heel reduces foot fatigue



The EaziStep™ insole is made from lightweight, ergonomically designed PU/mesh material that gives all day comfort and relieves tension in areas vulnerable to impact and stress such as the ball of the foot and heel area. Puncture holes give breathability without compromising any anti-static properties the footwear may have.

FEATURE ICONS



















MATERIALS

- Waterproof leather upper
- PU/rubber sole
- Non-metallic toe cap
- Non-metallic midsole

TYPICAL INDUSTRIES

- Construction
- Engineering
- Highways
- Rail
- Utilities

CERTIFICATION/MARKINGS



EN ISO 20345:2011 is an internationally recognised standard which specifies requirements for safety footwear. Any product which references an EN standard must have the relevant certification attributed to the product code found on the product.

The product standard can be found on the tongue label and should match that stated on the certification. The standard is usually a group of numbers and letters, for example S3 WR HRO SRC. These letters and numbers denote the characteristics that make up the footwear you are buying which include properties such as protective toe cap, water-resistant uppers, protective midsole, fuel oil resistance, anti-static, heat resistance and slip resistance.

Users are advised to select the required class of performance based on the risk assessment of the location and/or task as appropriate.

PRODUCT DETAILS

CODE	SIZE	COLOUR	BARCODES	PACKAGING
CF1806	6	Brown	5019200290062	Each pair individually boxed Purchase multiple: 1 Outer carton quantity: 10 B. MACKROCK B. Dry
CF1807	7	Brown	5019200290079	
CF1808	8	Brown	5019200290086	
CF1809	9	Brown	5019200290093	
CF1810	10	Brown	5019200290109	
CF1811	11	Brown	5019200290116	
CF1812	12	Brown	5019200290123	
CF1813	13	Brown	5019200290130	