

Product Datasheet model super fit 9178 185



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics	• lightweight safety spectacles with hinged side arms, a sporty design and uvex x-stream technology • maximum optical clarity thanks to extremely thin wrap-around lenses • aerodynamically optimised lenses that are angled forwards to provide optimum ventilation and comfort around the eyes • excellent wearer comfort guaranteed by the lightweight design
Technical details Frame Material Colour	Front piece PA black

Material	Temple
Colour	PA/TPE
	black, white
Manufacturer's ID code	Marking
Applicable EN norm	W
Impact resistance	166
Resistance to high speed particles at extremes of temperat.	F (45 m/s)
Conformity symbol	T
	CE
Lens	
Material	PC
Thickness	1,5 mm
Coating	uvex supravision plus
Colour	clear
UV protection	UV 400
Filter	Marking
Manufacturer's ID code	2C-1,2 (DIN EN 170)
Optical class	W
Impact resistance	1
Resistance to high speed particles at extremes of temperat.	F (45 m/s)
Surface resistance to fine particles	T
Antifog	K
Conformity symbol	N
Factory symbol	CE
	

Miscellaneous

Weight

21 g

Packing

10 spectacles per box

160 spectacles per cardboard box

Standards

DIN EN 166 + DIN EN 170

PPE Category

Category II