
1110

Shadow Board excl. Spacers, Coloured Shadows, H600mm x W600mm





Shadow boards are an effective and affordable way to ensure GFSI-compliant "5S" storage of your hygienic cleaning tools. Colour-coded for hygienic segregation, these boards keep your tools organised, clean and in good condition – saving you

time and money every day. They also make it easier to stay on top of inventories, and to keep the auditors satisfied.

Technical Data

Max. pH-value in Usage Concentration 9 pF Material Laminated vinyl Aluminium composite Box Quantity 1 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 10 Pcs Quantity Per Layer (Pallet) 0 Pcs Box Length 0 mm Box Width 0 mm Box Height 0 mm Length/Depth 3.5 mm Width 600 mm Height 600 mm Vidth 600 mm Net Weight 1.4 kg Vidith 600 mm Net Weight 1.4 kg Cubic metre 0.00126 MS Max. cleaning temperature (Dishwasher) 80 °C Min. usage temperature3 -20 °C Customs Tariff No. 83100000	Item Number	1110
Material Laminated vinyl Aluminium composite Box Quantity 1 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 10 Pcs Quantity Per Layer (Pallet) 0 Pcs Box Length 0 mm Box Keight 0 mm Box Height 0 mm Length/Depth 3.5 mm Width 600 mm Height 14 kg Weight cardboard (Recycling symbol "20" PAP) 0 kg Gross Weight 1.4 kg Cubic metre 0.00126 M3 Max. cleaning temperature (Dishwasher) 80 °C Min. usage temperature ³ -20 °C Customs Tariff No. 83100000	Min. pH-value in usage concentration	5 pH
Aluminium composite Box Quantity 1 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 10 Pcs Quantity Per Layer (Pallet) 0 Pcs Box Length 0 mm Box Width 0 mm Box Height 0 mm Length/Depth 3.5 mm Width 600 mm Height 600 mm Net Weight 1.4 kg Weight cardboard (Recycling symbol "20" PAP) 0 kg Gross Weight 1.4 kg Cubic metre 0.00126 M3 Max. cleaning temperature (Dishwasher) 80 °C Min. usage temperature ³ -20 °C Customs Tariff No. 83100000	Max. pH-value in Usage Concentration	9 pH
Quantity per Pallet (80 x 120 x 180-200 cm)10 PcsQuantity Per Layer (Pallet)0 PcsBox Length0 mmBox Width0 mmBox Height0 mmLength/Depth3.5 mmWidth600 mmHeight000 mmKidth600 mmHeight0 kgGross Weight1.4 kgCubic metre0.00126 M3Max. cleaning temperature (Dishwasher)80 °CMin. usage temperature3-20 °CCustoms Tariff No.83100000	Material	Laminated vinyl Aluminium composite
Quantity Per Layer (Pallet)0 PcsBox Length0 mmBox Width0 mmBox Height0 mmLength/Depth3.5 mmWidth600 mmHeight600 mmNet Weight1.4 kgWeight cardboard (Recycling symbol "20" PAP)0 kgTare total0 kgGross Weight1.4 kgCubic metre0.00126 M3Max. cleaning temperature (Dishwasher)80 °CMin. usage temperature3-20 °CCustoms Tariff No.83100000	Box Quantity	1 Pcs.
Box Length0 mmBox Width0 mmBox Height0 mmBox Height0 mmLength/Depth3.5 mmWidth600 mmHeight600 mmNet Weight1.4 kgWeight cardboard (Recycling symbol "20" PAP)0 kgTare total0 kgGross Weight1.4 kgCubic metre0.00126 M3Max. cleaning temperature (Dishwasher)80 °CMin. usage temperature3-20 °CCustoms Tariff No.83100000	Quantity per Pallet (80 x 120 x 180-200 cm)	10 Pcs.
Box Width0 mmBox Height0 mmLength/Depth3.5 mmWidth600 mmHeight600 mmNet Weight1.4 kgWeight cardboard (Recycling symbol "20" PAP)0 kgTare total0 kgGross Weight1.4 kgCubic metre0.00126 M3Max. cleaning temperature (Dishwasher)80 °CMin. usage temperature3-20 °CCustoms Tariff No.83100000	Quantity Per Layer (Pallet)	0 Pcs.
Box Height0 mmLength/Depth3.5 mmWidth600 mmHeight600 mmNet Weight1.4 kgWeight cardboard (Recycling symbol "20" PAP)0 kgTare total0 kgGross Weight1.4 kgCubic metre0.00126 M3Max. cleaning temperature (Dishwasher)80 °CMin. usage temperature3-20 °CCustoms Tariff No.83100000	Box Length	0 mm
Length/Depth3.5 mmWidth600 mmHeight600 mmNet Weight1.4 kgWeight cardboard (Recycling symbol "20" PAP)0 kgTare total0 kgGross Weight1.4 kgCubic metre0.00126 M3Max. cleaning temperature (Dishwasher)80 °CMin. usage temperature³-20 °CCustoms Tariff No.83100000	Box Width	0 mm
Width600 mmHeight600 mmNet Weight1.4 kgWeight cardboard (Recycling symbol "20" PAP)0 kgTare total0 kgGross Weight1.4 kgCubic metre0.00126 M3Max. cleaning temperature (Dishwasher)80 °CMin. usage temperature³-20 °CCustoms Tariff No.83100000	Box Height	0 mm
Height600 mmNet Weight1.4 kgWeight cardboard (Recycling symbol "20" PAP)0 kgTare total0 kgGross Weight1.4 kgCubic metre0.00126 MgMax. cleaning temperature (Dishwasher)80 °CMin. usage temperature³-20 °CCustoms Tariff No.83100000	Length/Depth	3.5 mm
Net Weight1.4 kgWeight cardboard (Recycling symbol "20" PAP)0 kgTare total0 kgGross Weight1.4 kgCubic metre0.00126 MgMax. cleaning temperature (Dishwasher)80 °CMin. usage temperature3-20 °CCustoms Tariff No.83100000	Width	600 mm
Weight cardboard (Recycling symbol "20" PAP)0 kgTare total0 kgGross Weight1.4 kgCubic metre0.00126 MagMax. cleaning temperature (Dishwasher)80 °CMin. usage temperature³-20 °CCustoms Tariff No.83100000	Height	600 mm
Tare total0 kgGross Weight1.4 kgCubic metre0.00126 M3Max. cleaning temperature (Dishwasher)80 °CMin. usage temperature³-20 °CCustoms Tariff No.83100000	Net Weight	1.4 kg
Gross Weight1.4 kgCubic metre0.00126 M3Max. cleaning temperature (Dishwasher)80 °CMin. usage temperature³-20 °CCustoms Tariff No.83100000	Weight cardboard (Recycling symbol "20" PAP)	0 kg
Cubic metre0.00126 M3Max. cleaning temperature (Dishwasher)80 °CMin. usage temperature³-20 °CCustoms Tariff No.83100000	Tare total	0 kg
Max. cleaning temperature (Dishwasher)80 °CMin. usage temperature³-20 °CCustoms Tariff No.83100000	Gross Weight	1.4 kg
Min. usage temperature ³ -20 °C Customs Tariff No. 8310000C	Cubic metre	0.00126 M3
Customs Tariff No. 83100000	Max. cleaning temperature (Dishwasher)	80 °C
	Min. usage temperature ³	-20 °C
Country of origin Netherlands	Customs Tariff No.	83100000
	Country of origin	Netherlands

Shadow boards can be wiped down using a non-abrasive cloth with warm water and a neutral cleaning detergent.

It would not be advisable to use a pressure washer to clean the shadow boards.

Shadow boards are made from non-absorbent, durable materials that are REACH compliant and suitable for use in a food production environment.