


11113

Kit for metal detection, 55 mm, Blue



Use this test kit to check the detectability of Vikan metal-detectable plastic fragments as part of your HACCP plan.

Technical Data

| | |
|---|---|
| Item Number | 11113 |
| Material | Polypropylene Metal & X-Ray detectable additive |
| Complies with (EC) 1935/2004 on food contact materials ¹ | Yes |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes |
| Complies with FDA Regulationl CFR 21 ¹ | Yes |
| Complies with UK 2019 No. 704 on food contact materials | Yes |
| Complies with REACH Regulation (EC) No. 1907/2006 | Yes |
| Complies with California Proposition 65 | Yes |
| Complies with Halal and Kosher | Yes |
| PFAS, Phthalates and BPA intentionally added | No |
| Box Quantity | 5 Pcs. |
| Quantity per Pallet (80 x 120 x 180-200 cm) | 50000 Pcs. |
| Quantity Per Layer (Pallet) | 0 Pcs. |
| Box Length | 0 mm |
| Box Width | 0 mm |
| Box Height | 0 mm |
| Length/Depth | 55 mm |
| Width | 45 mm |
| Height | 8 mm |
| Net Weight | 0.004 kg |
| Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) | 0.005 kg |
| Weight cardboard (Recycling symbol "20" PAP) | 0.0058 kg |
| Tare total | 0.0108 kg |
| Gross Weight | 0.01 kg |
| Cubic metre | 2E-05 M3 |
| Recommended sterilisation temperature (Autoclave) | 121 °C |
| Max. usage temperature (food contact) | 100 °C |
| Max usage temperature (non food contact) | 100 °C |
| Min. usage temperature ³ | -20 °C |
| Min. pH-value in usage concentration | 2 pH |
| Max. pH-value in Usage Concentration | 10.5 pH |
| Metal Detectable | Yes |
| GTIN-13 Number | 5705022033498 |
| GTIN-14 Number (Box quantity) | 15705028033505 |
| Customs Tariff No. | 39249000 |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.