

1701

Hose Coupling, Nito Click, 1/2"(C)



1/2" hose coupling including hose clamp. Fits on 070752, 070952, 297152C and 297352C.

Fits the Gardena/Hozelock systems as well.

Technical Data

Item Number	1701
Couplings Size	1/2 "
Material	Chromium-plated brass Galvanized steel (DIN 1.09035) Synthetic rubber
Complies with FDA Regulationl CFR 21 ¹	Yes ***
Complies with REACH Regulation (EC) No. 1907/2006	Yes **
Complies with California Proposition 65	No
SCIP number	095b5bea-9314-4e2d-987b-8726dbd84c43
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	3180 Pcs.
Quantity Per Layer (Pallet)	0 Pcs.
Box Length	0 mm
Box Width	0 mm
Box Height	0 mm
Product Diameter	30 mm
Length/Depth	55 mm
Width	55 mm
Height	55 mm
Net Weight	0.106 kg
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.01119 kg
Weight cardboard (Recycling symbol "20" PAP)	0.01275 kg
Tare total	0.02394 kg
Gross Weight	0.13 kg
Cubic metre	0.000166 M3
Max. cleaning temperature (Dishwasher)	80 °C
Max usage temperature (non food contact)	70 °C
Min. usage temperature ³	-30 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	11 pH
Max. bars pressure	25 Bar
GTIN-13 Number	5705022023499
GTIN-14 Number (Box quantity)	15705028045393

The hose coupling on the hose and foaming gun have to be greased regularly to maintain the coupling ability on the equipment. The grease applied during mounting will be rinsed away by the water flow and thus needs to be renewed.

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.

*** The product is suitable for use with water only and not for direct food contact.