41862

Washing Brush with long handle, 415 mm, Hard, Green







This Washing Brush is ideal for cleaning hard-to-reach surfaces on machines and equipment such as deep buckets, containers and tubs. It has a long handle and angled bristles that enhance cleaning efficacy.

Technical Data

Bristle stiffness Hard Visible bristle length 36 mm Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with EU Regulation CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 2025700-0001-3 Box Quantity 10 Pcs. Quantity per Pallet (Bo x 120 x 180-200 cm) 700 Pcs. Box Length 10 Pcs. Box Length 10 Pcs. Box Length 10 Pcs. Box Vidth 205 mm Box Vidth 205 mm Box Vidth 205 mm Box Weight 0.042 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDFE) 0.0255 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.002	Item Number	41862
Material Polypropylene Polyester (PET) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with WE 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA Intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs. Quantity Per Layer (Pallet) 70 Pcs. Box Length 435 mm Box Width 200 mm Box Keight 0.24 kg Weight cardboard (Recycling symbol "4" Low Density Polyethylene (LDPE)) 0.0255 kg Veight cardboard (Recycling symbol "20" PAP) 0.0256 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recomme	Bristle stiffness	Hard
(PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 0020257000-001-3, GB 20257000-001-3, Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs. Quantity Per Layer (Pallet) 70 Pcs. Box Length 435 mm Box Width 205 mm Box Height 180 mm Length/Depth 415 mm Width 0.24 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.00255 kg Tare total 0.0324 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Tood contact)	Visible bristle length	36 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA Intentionally addedNoDesign Registration No.EU 002025700-0001-3, GB 20257000001-3Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)700 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length435 mmBox Width205 mmBox Height116 mmLength/Depth415 mmWidth71 mmHeight0.024 kgWeight to adboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (food contact)80 °CMin. usage temperature-20 °CWin. usage temperature-20 °C	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 211 Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs. Quantity Per Layer (Pallet) 700 Pcs. Box Length 435 mm Box With 205 mm Box Kleight 10 Pm. Length/Depth 415 mm Width 71 mm Height 75 mm Net Weight 0.225 kg Tare total 0.0021 M3 Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max. usage temperature (non food contact) 60 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002025700-0001-3, GB 20257000001-3Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)700 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length435 mmBox Width205 mmBox Height180 mmLength/Depth415 mmWidth71 mmHeight0.24 kgWeight bag (Recycling Symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dost contact)00 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)00 °CMin. usage temperature (or food contact)00 °CMin. usage temperature (or contact)00 °CMin. usage temperature (non food contact)00 °CMin. usage temperature (or contact)00 °CMin. usage te		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002025700-0001-3, GB 20257000001-3Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)700 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length435 mmBox Width205 mmBox Height180 mmLength/Depth415 mmWidth71 mmHeight0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMin. usage temperature (non food contact)100 °CMin. usage temperature ^a -20 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002025700-0001-3, GB 20257000001-3Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)700 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length435 mmBox Kength180 mmLength/Depth415 mmWidth205 mmBox Keight0.0025 kg(LDPE))0.0025 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0255 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMin. usage temperature (non food contact)100 °CMin. usage temperature ³ -20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002025700-0001-3, GB 20257000-001-3Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)700 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length435 mmBox Width205 mmBox Height180 mmLength/Depth415 mmWidth71 mmHeight0.024 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs. Quantity Per Layer (Pallet) 70 Pcs. Box Length 435 mm Box Width 205 mm Box Height 180 mm Length/Depth 415 mm Width 71 mm Height 0.024 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.0085 kg Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 80 °C Max usage temperature in food contact 100 °C Min. usage temperature ³ -20 °C	Complies with California Proposition 65	Yes
Design Registration No.EU 002025700-0001-3, GB 20257000001-3Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)700 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length435 mmBox Width205 mmBox Height180 mmLength/Depth415 mmWidth71 mmHeight0.0085 kg(LDPE))0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Complies with Halal and Kosher	Yes
GB 20257000001-3Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)700 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length435 mmBox Width205 mmBox Height180 mmLength/Depth415 mmWidth71 mmHeight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature ^a -20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)700 Pcs.Quantity Per Layer (Pallet)70 Pcs.Box Length435 mmBox Width205 mmBox Height180 mmLength/Depth415 mmWidth71 mmHeight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0255 kgTare total0.034 kgGross Weight0.227 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature3-20 °C	Design Registration No.	
Quantity Per Layer (Pallet)70 Pcs.Box Length435 mmBox Width205 mmBox Height180 mmLength/Depth415 mmWidth71 mmHeight75 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)80 °CMin. usage temperature 3-20 °C	Box Quantity	10 Pcs.
Box Length435 mmBox Width205 mmBox Height180 mmLength/Depth415 mmWidth71 mmHeight75 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	700 Pcs.
Box Width205 mmBox Height180 mmLength/Depth415 mmWidth71 mmHeight75 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Quantity Per Layer (Pallet)	70 Pcs.
Box Height180 mmLength/Depth415 mmWidth71 mmHeight75 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Length	435 mm
Length/Depth415 mmWidth71 mmHeight75 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Width	205 mm
Width71 mmHeight75 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Height	180 mm
Height75 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature3-20 °C	Length/Depth	415 mm
Net Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Width	71 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Height	75 mm
(LDPE))0.0255 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Net Weight	0.24 kg
Tare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C		0.0085 kg
Gross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0255 kg
Cubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Tare total	0.034 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Gross Weight	0.27 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.00221 M3
Max. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °C	Max. usage temperature (food contact)	0° C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature100 °C	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020418624
GTIN-14 Number (Box quantity)	15705020418621
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.