47535

Scrubbing Brush - heat resistant filaments, 150 mm, Very hard, White







Easily clean grills and hot surfaces with this highly effective Scrubbing Brush.

## **Technical Data**

Bristle stiffness Very hard   Visible bristle length 20 mm   Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304)   Complies with (EC) 1935/2004 on food contact materials' Yes   Complies with FDA Regulation 2023/2006/EC of Good Yes   Complies with TDA Regulation 1CFR 21' Yes   Complies with TEACH Regulation (EC) No. 1907/2006 Yes   Complies with Halal and Kosher Yes   PFAS, Phthalates and BPA intentionally added No   Box Quantity 5 Pcs.   Quantity per Pallet (80 x 120 x 180-200 cm) 1540 Pcs.   Quantity Per Layer (Pallet) 55 Pcs.   Box Length 400 mm   Box Width 170 mm   Box Keight 150 mm   Width 65 mm   Length 55 mm   Length 0.0044 kg   (LDFE)) 0.0278 kg   Gross Weight 0.16 kg   Weight bag (Recycling symbol "20" PAP) 0.0278 kg   Gross Weight 0.19 kg   Cubic metre 0.000536 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. usage temperature (food	Item Number	47535
Material   Polypropylene Polyester (PBT) Stainless Steel (AISI 304)     Complies with (EC) 1935/2004 on food contact materials'   Yes     Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice   Yes     Complies with FDA Regulation 1CFR 21'   Yes     Complies with REACH Regulation (EC) No. 1907/2006   Yes     Complies with Halal and Kosher   Yes     PFAS, Phthalates and BPA intentionally added   No     Box Quantity   5 Pcs.     Quantity Per Pallet (80 x 120 x 180-200 cm)   1540 Pcs.     Quantity Per Layer (Pallet)   55 Pcs.     Box Length   400 mm     Box Klidth   170 mm     Box Klidth   170 mm     Box Klight   65 mm     Height   55 mm     Net Weight   0.16 kg     Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))   0.0278 kg     Gross Weight   0.19 kg     Cubic metre   0.000536 M3     Recommended sterillisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Dosh contact)   180 °C     Main usage temperature (non food contact)   180 °C	Bristle stiffness	Very hard
(PBT) Stainless Steel (AISI 304)   Complies with (EC) 1935/2004 on food contact materials <sup>1</sup> Yes   Complies with EU Regulation 2023/2006/EC of Good Yes   Complies with FDA Regulation I CFR 21 <sup>1</sup> Yes   Complies with REACH Regulation (EC) No. 1907/2006 Yes   Complies with REACH Regulation (EC) No. 1907/2006 Yes   Complies with Halal and Kosher Yes   PFAS, Phthalates and BPA intentionally added No   Box Quantity 5 Pcs.   Quantity Per Pallet (80 x 120 x 180-200 cm) 1540 Pcs.   Quantity Per Layer (Pallet) 55 Pcs.   Box Length 400 mm   Box Width 170 mm   Box Width 150 mm   Vidth 65 mm   Height 55 mm   Net Weight 0.16 kg   Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.00278 kg   Veight cardboard (Recycling symbol "20" PAP) 0.0278 kg   Cons2 Weight 0.19 kg   Cubic metre 0.000536 M3   Recommended sterillisation temperature (Autoclave) 121 °C   Max. usage temperature (Dosh contact) 180 °C   Max. usage temperature (food cont	Visible bristle length	20 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1540 Pcs.Quantity Per Layer (Pallet)55 Pcs.Box Length400 mmBox Height85 mmLength/Depth150 mmWidth65 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.00278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)180 °CMin. usage temperature (food contact)180 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Material	(PBT) Stainless Steel
Manufacturing Practice   Complies with FDA Regulation CFR 211 Yes   Complies with REACH Regulation (EC) No. 1907/2006 Yes   Complies with REACH Regulation (EC) No. 1907/2006 Yes   Complies with Halal and Kosher Yes   PFAS, Phthalates and BPA intentionally added No   Box Quantity 5 Pcs.   Quantity per Pallet (80 x 120 x 180-200 cm) 1540 Pcs.   Quantity Per Layer (Pallet) 55 Pcs.   Box Length 400 mm   Box Width 170 mm   Box Height 85 mm   Length/Depth 150 mm   Width 65 mm   Height 55 fmm   Net Weight 0.16 kg   Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.0278 kg   Tare total 0.0322 kg   Gross Weight 0.19 kg   Cubic metre 0.000536 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. usage temperature (food contact) 180 °C   Max. usage temperature (non food contact) 180 °C   Min. usage temperature (non food contact) 180 °C   Min. usage temperature (non fo	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1540 Pcs.Quantity Per Layer (Pallet)55 Pcs.Box Length400 mmBox Width170 mmBox Height85 mmLength/Depth150 mmWidth65 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.00278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)180 °CMax. usage temperature (food contact)180 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1540 Pcs.Quantity Per Layer (Pallet)55 Pcs.Box Length400 mmBox Width170 mmBox Height85 mmLength/Depth150 mmWidth65 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.00278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)180 °CMin. usage temperature (non food contact)180 °CMin. usage temperature100 °CMax. drying temperature0.20 °CMax. drying temperature2 pH	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1540 Pcs.Quantity Per Layer (Pallet)55 Pcs.Box Length400 mmBox Width170 mmBox Height85 mmLength/Depth150 mmWidth65 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.00278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)180 °CMin. usage temperature0.00 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1540 Pcs.Quantity Per Layer (Pallet)55 Pcs.Box Length400 mmBox Width170 mmBox Height85 mmLength/Depth150 mmWidth65 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)180 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)1540 Pcs.Quantity Per Layer (Pallet)55 Pcs.Box Length400 mmBox Width170 mmBox Height85 mmLength/Depth150 mmWidth65 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.00278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)1540 Pcs.Quantity Per Layer (Pallet)55 Pcs.Box Length400 mmBox Width170 mmBox Height85 mmLength/Depth150 mmWidth65 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax. usage temperature (food contact)180 °CMax. drying temperature100 °CMax. drying temperature100 °CMin. usage concentration2 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)55 Pcs.Box Length400 mmBox Width170 mmBox Height85 mmLength/Depth150 mmWidth65 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Quantity	5 Pcs.
Box Length400 mmBox Width170 mmBox Height85 mmLength/Depth150 mmWidth65 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. usage temperature a-20 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. drying temperature2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	1540 Pcs.
Box Width170 mmBox Height85 mmLength/Depth150 mmWidth65 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. usage temperature a-20 °CMax. drying temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMan. drying temperature2 pH	Quantity Per Layer (Pallet)	55 Pcs.
Box Height85 mmLength/Depth150 mmWidth65 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)180 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. drying temperature2 pH	Box Length	400 mm
Length/Depth150 mmWidth65 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)180 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Width	170 mm
Width65 mmHeight55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Height	85 mm
Height55 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Length/Depth	150 mm
Net Weight0.16 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0044 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Width	65 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene0.0044 kg(LDPE))0.0278 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)180 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Height	55 mm
(LDPE))0.0278 kgWeight cardboard (Recycling symbol "20" PAP)0.0278 kgTare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Net Weight	0.16 kg
Tare total0.0322 kgGross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. drying temperature20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH		0.0044 kg
Gross Weight0.19 kgCubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.0278 kg
Cubic metre0.000536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Tare total	0.0322 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Gross Weight	0.19 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.000536 M3
Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)180 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)180 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. usage temperature (food contact)	100 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (non food contact)	180 °C
Min. pH-value in usage concentration2 pH	Min. usage temperature <sup>3</sup>	-20 °C
	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

GTIN-13 Number	5705020047534
GTIN-14 Number (Box quantity)	15705020047531
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.