5346

Flexible extension handle for 53515, Ø5 mm, 812 mm





Easily clean the inside of long feeder tubes with this extension to the Flexible Rod (53515). Add as many extension rods as required to reach inside feeder tubes of any length. For use with tube cleaners (5354x, 5356x, 5365x or 5368x and 5391x).

Technical Data

304) Stainless Steel (AISI 303) Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Ye Complies with FDA Regulation 2023/2006/EC of Good Manufacturing Practice Ye Complies with FDA Regulation CFR 211 Ye Complies with REACH Regulation (EC) No. 1907/2006 Ye Complies with California Proposition 65 Ye Complies with Pale (80 x 120 x 180-200 cm) 100 Pcs Quantity Per Layer (Pallet) 400 Pcs Sox Length 835 mn Sox Width 145 mn Sox Height 65 mn Yeduct Diameter 5 mn Sor Height 5 mn Yedight cardboard (Recycling symbol "20" PAP) 0.027 kg Cross Weight 0.13 kg Cubic metre 2E-05 MX Recommended sterillsation temperature (Autoclave) 121 °C Max. usage temperature (Iosh contact) 100 °C	Item Number	5346
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYeComplies with FDA RegulationI CFR 21'YeComplies with UK 2019 No. 704 on food contact materialsYeComplies with REACH Regulation (EC) No. 1907/2006YeComplies with California Proposition 65YeComplies with Halal and KosherYePFAS, Phthalates and BPA Intentionally addedNi3ox Quantity10 PcsQuantity per Pallet (80 x 120 x 180-200 cm)1500 PcsQuantity Per Layer (Pallet)40 Pcs3ox Length835 mn3ox Width145 mn3ox Height65 mnProduct Diameter5 mnength/Depth812 mnWidth5 mneleight0.027 kgGrare total0.027 kgCubic metre2E-05 MiQuantic adpoard (Recycling symbol "20" PAP)0.13 kgCubic metre2E-05 MiQuantic adpoard (Recycling symbol "20" PAP)0.3 %Cubic metre2E-05 MiQuantic adpoard temperature (On food contact)100 °CMax. usage temperature (Tood contact)100 °CMax. drying temperature5 °CMax. drying temperature5 °CMax. drying temperature5 °CSTIN-13 Number570502053467	Material	Stainless Steel (AISI 304) Stainless Steel (AISI 303)
Manufacturing Practice Complies with FDA RegulationI CFR 21' Ye Complies with UK 2019 No. 704 on food contact materials Ye Complies with REACH Regulation (EC) No. 1907/2006 Ye Complies with California Proposition 65 Ye Complies with Halal and Kosher Ye PFAS, Phthalates and BPA intentionally added Ne Sox Quantity 10 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 1500 Pcs Quantity Per Layer (Pallet) 40 Pcs Sox Length 835 mm Sox Length 835 mm Sox Width 145 mm Sox Height 65 mm Product Diameter 5 mm Length 5 mm Veight cardboard (Recycling symbol "20" PAP) 0.027 kg Care total 0.027 kg Cross Weight 0.13 kg Cubic metre 2E-05 Mi Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Iosh contact) 100 °C Max. usage temperature (food contact) 100 °C Max. drying temperature 570502053467	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYeComplies with REACH Regulation (EC) No. 1907/2006YeComplies with California Proposition 65YeComplies with Halal and KosherYe2FAS, Phthalates and BPA intentionally addedNBox Quantity10 PcsQuantity per Pallet (80 x 120 x 180-200 cm)1500 PcsQuantity Per Layer (Pallet)40 PcsBox Length835 mnBox Width145 mnBox Height65 mnProduct Diameter5 mnLength/Depth812 mnVidth5 mnHeight0.027 kgSors Weight0.14 kgVidth5 mnHeight0.14 kgWash California (Recycling symbol "20" PAP)0.027 kgCubic metre2E-05 MXRecommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (food contact)100 °CMax. drying temperature5705020053467	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006YeComplies with California Proposition 65YeComplies with Halal and KosherYePFAS, Phthalates and BPA intentionally addedNiBox Quantity10 PcsQuantity per Pallet (80 x 120 x 180-200 cm)1500 PcsQuantity Per Layer (Pallet)40 PcsBox Length835 mnBox Width145 mnBox Height65 mnProduct Diameter5 mnLength/Depth812 mnWidth5 mnHeight0.027 kgVidth5 mnVidth10 kgVidth10 kgVidth5 mnLength/Depth812 mnWidth5 mnLength/Depth0.027 kgMax cleaning temperature (Dishwasher)93 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMax. drying temperature5 °CMax. drying temperature5 °CMax. drying temperature5 °CStrll-13 Number5705020053467	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YeComplies with Halal and KosherYePFAS, Phthalates and BPA intentionally addedNiBox Quantity10 PesQuantity per Pallet (80 x 120 x 180-200 cm)1500 PesQuantity Per Layer (Pallet)40 PesBox Length835 mmBox Width145 mmBox Height65 mmProduct Diameter5 mmLength/Depth812 mmWidth5 mmHeight0.1 kgVidth5 mmSors Weight0.1 kgWeight cardboard (Recycling symbol "20" PAP)0.027 kgCouse memore and sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage temperature5 °CMax. drying temperature5 °CMax. drying temperature120 °CSTIN-13 Number5705020053467	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYePFAS, Phthalates and BPA intentionally addedNBox Quantity10 PcsQuantity per Pallet (80 x 120 x 180-200 cm)1500 PcsQuantity Per Layer (Pallet)40 PcsBox Length835 mnBox Width145 mnBox Height65 mnProduct Diameter5 mnLength/Depth812 mnNidth5 mnLength0.1 kgWeight0.1 kgVeight cardboard (Recycling symbol "20" PAP)0.027 kgCubic metre2E-05 M3Cubic metre30 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMax. drying temperature5 °CMax. drying temperature5 °CSTIN-13 Number570520053467	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PAS, Phthalates and BPA intentionally addedNBox Quantity10 PcsQuantity per Pallet (80 x 120 x 180-200 cm)1500 PcsQuantity Per Layer (Pallet)40 PcsBox Length835 mnBox Width145 mnBox Height65 mnProduct Diameter5 mnLength/Depth812 mnNidth5 mnLength/Depth812 mnNidth5 mnLength/Copth0.027 kgNidth0.027 kgCare total0.027 kgCops Weight0.13 kgCubic metre2E-05 M3Cubic metre30 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature35 °CMax. drying temperature35 °CCubic Max. Urig temperature35 °CMax. Urig temperature35 °CMax. Urig temperature35 °CCubic Metric Structure35 °CMax. Urig temperature35 °CMax. Urig temperature35 °CCubic Metric Structure35 °CMax. Urig temperature35 °CCubic Metric Structure3	Complies with California Proposition 65	Yes
Box Quantity10 PessQuantity per Pallet (80 x 120 x 180-200 cm)1500 PessQuantity Per Layer (Pallet)40 PessBox Length835 mmBox Vidth145 mmBox Width145 mmBox Height65 mmProduct Diameter5 mmLength/Depth812 mmNidth5 mmNet Weight0.1 kgNet Weight0.1 kgCubic metre2E-05 MCubic metre2E-05 MRecommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. drying temperature5 °CMax. drying temperature120 °CSTIN-13 Number5705020053467	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)1500 PcsQuantity Per Layer (Pallet)40 PcsSox Length835 mnSox Width145 mnSox Height65 mnProduct Diameter5 mnLength/Depth812 mnWidth5 mnHeight0.1 kgVidth5 mnNet Weight0.1 kgNet Weight0.027 kgCare total0.027 kgCubic metre2E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature5 °CMax. drying temperature120 °CSTIN-13 Number5705020053467	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)40 PcsQuantity Per Layer (Pallet)835 mnBox Length835 mnBox Width145 mnBox Height65 mnProduct Diameter5 mnLength/Depth812 mnWidth5 mnHeight5 mnNet Weight0.1 kgNet Weight0.1 kgNeight cardboard (Recycling symbol "20" PAP)0.027 kgGross Weight0.13 kgCubic metre2E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature120 °CSTIN-13 Number5705020053467	Box Quantity	10 Pcs.
Box Length835 mmBox Vidth145 mmBox Height65 mmProduct Diameter5 mmLength/Depth812 mmWidth5 mmLength/Depth0.1 kgWidth5 mmHeight0.1 kgVeright cardboard (Recycling symbol "20" PAP)0.027 kgGross Weight0.13 kgCubic metre2E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature120 °CSTIN-13 Number5705020053467	Quantity per Pallet (80 x 120 x 180-200 cm)	1500 Pcs.
Box Width 145 mm Box Width 65 mm Box Height 65 mm Product Diameter 5 mm Length/Depth 812 mm Width 5 mm Height 5 mm Height 5 mm Net Weight 0.1 kg Neight cardboard (Recycling symbol "20" PAP) 0.027 kg Gross Weight 0.13 kg Cubic metre 2E-05 Mi Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max usage temperature s 5 °C Max. drying temperature 5705020053467	Quantity Per Layer (Pallet)	40 Pcs.
Box Height 65 mm Product Diameter 5 mm Length/Depth 812 mm Width 5 mm Height 5 mm Net Weight 0.1 kg Neight cardboard (Recycling symbol "20" PAP) 0.027 kg Gross Weight 0.13 kg Cubic metre 2E-05 Mi Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 5705020053467	Box Length	835 mm
Product Diameter5 mmLength/Depth812 mmWidth5 mmHeight5 mmHeight0.1 kgNet Weight0.1 kgNet Weight cardboard (Recycling symbol "20" PAP)0.027 kgFare total0.027 kgGross Weight0.13 kgCubic metre2E-05 MGRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature5 °CMax. drying temperature120 °CSTIN-13 Number5705020053467	Box Width	145 mm
Length/Depth812 mmNidth5 mmHeight5 mmNet Weight0.1 kgNeight cardboard (Recycling symbol "20" PAP)0.027 kgFare total0.027 kgGross Weight0.13 kgCubic metre2E-05 MGRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature120 °CGTIN-13 Number5705020053467	Box Height	65 mm
Nidth5 mmHeight5 mmNet Weight0.1 kgNeight cardboard (Recycling symbol "20" PAP)0.027 kgFare total0.027 kgGross Weight0.13 kgCubic metre2E-05 MGRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature120 °CGTIN-13 Number5705020053467	Product Diameter	5 mm
Height5 mmNet Weight0.1 kgWeight cardboard (Recycling symbol "20" PAP)0.027 kgFare total0.027 kgGross Weight0.13 kgCubic metre2E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature120 °CGTIN-13 Number5705020053467	Length/Depth	812 mm
Net Weight0.1 kgWeight cardboard (Recycling symbol "20" PAP)0.027 kgCare total0.027 kgGross Weight0.13 kgCubic metre2E-05 MgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature5 °CGTIN-13 Number5705020053467	Width	5 mm
Veight cardboard (Recycling symbol "20" PAP)0.027 kgFare total0.027 kgGross Weight0.13 kgCubic metre2E-05 MGRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature5 °CGTIN-13 Number5705020053467	Height	5 mm
Fare total0.027 kgGross Weight0.13 kgCubic metre2E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³5 °CMax. drying temperature120 °CGTIN-13 Number5705020053467	Net Weight	0.1 kg
Gross Weight0.13 kgCubic metre2E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³5 °CMax. drying temperature120 °CGTIN-13 Number5705020053467	Weight cardboard (Recycling symbol "20" PAP)	0.027 kg
Cubic metre2E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³5 °CMax. drying temperature120 °CSTIN-13 Number5705020053467	Tare total	0.027 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³5 °CMax. drying temperature120 °CGTIN-13 Number5705020053467	Gross Weight	0.13 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³5 °CMax. drying temperature120 °CGTIN-13 Number5705020053467	Cubic metre	2E-05 M3
Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³5 °CMax. drying temperature120 °CGTIN-13 Number5705020053467	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³5 °CMax. drying temperature120 °CGTIN-13 Number5705020053467	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³5 ° (Max. drying temperature120 ° (GTIN-13 Number5705020053467	Max. usage temperature (food contact)	100 °C
Max. drying temperature120 °CGTIN-13 Number5705020053467	Max usage temperature (non food contact)	100 °C
GTIN-13 Number 5705020053467	Min. usage temperature ³	5 °C
	Max. drying temperature	120 °C
GTIN-14 Number (Box quantity) 15705020053464	GTIN-13 Number	5705020053467
	GTIN-14 Number (Box quantity)	15705020053464
Customs Tariff No. 7223009	Customs Tariff No.	72230091
Country of origin Denmar	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.