56049

Ergonomic shovel with drain holes, 350 mm, Black







The holes enable the water/liquid to drain quickly from the food products. Suitable for all industries.

## **Technical Data**

| Item Number  | 56049                               |
|--|-------------------------------------|
| Shovel Blade Size, L x W x H   | 380 x 340 x 90 mm                   |
| Material   | Polypropylene Anodised<br>Aluminium |
| Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>        | Yes                                 |
| Complies with EU Regulation 2023/2006/EC of Good<br>Manufacturing Practice | Yes                                 |
| Complies with FDA RegulationI CFR 21 <sup>1</sup>                          | Yes                                 |
| Complies with UK 2019 No. 704 on food contact materials                    | Yes                                 |
| Complies with REACH Regulation (EC) No. 1907/2006                          | Yes                                 |
| Complies with California Proposition 65                                    | Yes                                 |
| Complies with Halal and Kosher   | Yes                                 |
| PFAS, Phthalates and BPA intentionally added                               | No                                  |
| Box Quantity   | 1 Pcs.                              |
| Quantity per Pallet (80 x 120 x 180-200 cm)                                | 60 Pcs.                             |
| Quantity Per Layer (Pallet)  | 0 Pcs.                              |
| Box Length   | 1145 mm                             |
| Box Width  | 350 mm                              |
| Box Height   | 220 mm                              |
| Length/Depth   | 1145 mm                             |
| Width  | 350 mm                              |
| Height   | 220 mm                              |
| Net Weight   | 1.69 kg                             |
| Weight bag (Recycling Symbol "4" Low Density Polyethylene<br>(LDPE))       | 0.053 kg                            |
| Weight cardboard (Recycling symbol "20" PAP)                               | 0.1748 kg                           |
| Tare total   | 0.2278 kg                           |
| Gross Weight   | 1.92 kg                             |
| Cubic metre  | 0.088165 M3                         |
| Recommended sterilisation temperature (Autoclave)                          | 121 °C                              |
| Max. cleaning temperature (Dishwasher)                                     | 93 °C                               |
| Max. usage temperature (food contact)                                      | 100 °C                              |
| Max usage temperature (non food contact)                                   | 100 °C                              |
| Min. usage temperature <sup>3</sup>  | -20 °C                              |
| Max. drying temperature  | 120 °C                              |
| Min. pH-value in usage concentration                                       | 2 pH                                |
| Max. pH-value in Usage Concentration                                       | 10.5 pH                             |
| GTIN-13 Number   | 5705020560491                       |

| Customs Tariff No. | 39241000 |
|--------------------|----------|
| Country of origin  | Denmark  |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.