Hand Scoop, Metal Detectable, 0.5 Litre, Yellow





This ergonomically designed metal-detectable Hand Scoop is lightweight and durable. A one-piece construction prevents bacterial contamination, and a smooth surface allows for easy cleaning. Ideal for moving ingredients in food production areas. Metal detection can be tested using Vikan test kit (11113).

Technical Data

Content 0.5 Litre Material Polypropyenen Metal & X - Ray detectable additive Complies with (EC) 1935/2004 on food contact materials* Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (ECR 21*) Yes Complies with UX 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes Complies with Jes vices wi	Item Number	56696
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with TUK 2019 No. 704 on food contact materials Complies with TUK 2019 No. 704 on food contact materials Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with EUR 2019 No. 1907/2006 Yes Complies with California Proposition 10. 10. 1907 Per Max. ph-value in usage concentration Yes Complies with EUR 2019 No. 1907/2006 Yes Complies with California Proposition 10. 10. 1907 Per Max. ph-value in Usage Concentration Yes Complies with California Proposition 10. 10. 1907 Per Max. ph-value in Usage Concentration Yes Complies with California Proposition 10. 10. 1907 Per Max. ph-value in Usage Concentration Yes Complies with California Proposition 10. 10. 1907 Per Max. ph-value in Usage Concentration Yes Complies with California Proposition 10. 10. 1907 Per Max. ph-value in Usage Concentration Yes Complies with California Proposition 10. 10. 1907 Per Max. ph-value in Usage Concentration Yes Complies with California Proposition 10. 1907 Per	Content	0.5 Litre
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation (FR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes FAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 2018 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 2 pH Max. pH-value in usage concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032378	Material	
Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Min. usage temp	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Max. usage temperature (non food contact) 100 °C Min. pH-value		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Width 290 mm Box Height 180 mm Uength/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration <th>Complies with FDA RegulationI CFR 21¹</th> <th>Yes</th>	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature³ -20 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 10.5 pH Metal Detectable Yes	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature in food contact) 100 °C Min. usage temperature as concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032378 <td>Complies with REACH Regulation (EC) No. 1907/2006</td> <td>Yes</td>	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature in (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032378	Complies with California Proposition 65	Yes
Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature ³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032378	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032378	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032378	Box Quantity	15 Pcs.
Box Length 380 mm Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032378	Quantity per Pallet (80 x 120 x 180-200 cm)	960 Pcs.
Box Width 290 mm Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032378	Quantity Per Layer (Pallet)	120 Pcs.
Box Height 180 mm Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032378	Box Length	380 mm
Length/Depth 310 mm Width 85 mm Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032378	Box Width	290 mm
Width85 mmHeight100 mmNet Weight0.135 kgWeight cardboard (Recycling symbol "20" PAP)0.018 kgTare total0.018 kgGross Weight0.15 kgCubic metre0.002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032378	Box Height	180 mm
Height 100 mm Net Weight 0.135 kg Weight cardboard (Recycling symbol "20" PAP) 0.018 kg Tare total 0.018 kg Gross Weight 0.15 kg Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032378	Length/Depth	310 mm
Net Weight0.135 kgWeight cardboard (Recycling symbol "20" PAP)0.018 kgTare total0.018 kgGross Weight0.15 kgCubic metre0.002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032378	Width	85 mm
Weight cardboard (Recycling symbol "20" PAP)0.018 kgTare total0.018 kgGross Weight0.15 kgCubic metre0.002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032378	Height	100 mm
Tare total0.018 kgGross Weight0.15 kgCubic metre0.002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032378	Net Weight	0.135 kg
Gross Weight Cubic metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number	Weight cardboard (Recycling symbol "20" PAP)	0.018 kg
Cubic metre0.002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032378	Tare total	0.018 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032378	Gross Weight	0.15 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032378	Cubic metre	0.002635 M3
Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032378	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032378	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032378	Max. usage temperature (food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes GTIN-13 Number 5705022032378	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration10.5 pHMetal DetectableYesGTIN-13 Number5705022032378	Min. usage temperature ³	-20 °C
Metal DetectableYesGTIN-13 Number5705022032378	Min. pH-value in usage concentration	2 pH
GTIN-13 Number 5705022032378	Max. pH-value in Usage Concentration	10.5 pH
	Metal Detectable	Yes
GTIN-14 Number (Box quantity) 15705028032386	GTIN-13 Number	5705022032378
	GTIN-14 Number (Box quantity)	15705028032386

Customs Tariff No. 39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.