

56713

# Ergonomic scoop, 2 Litre, Blue



Scoop up any dry or moist food ingredients with Vikan's ergonomically designed hand scoop. The perfectly balanced grip protects against strains, while a flat bottom keeps the scoop from rolling over on tables.

# Technical Data

Item Number	56713
Content	2 Litre
Material	Polypropylene
Product Recycling Symbol "5", Polypropylene (PP)	Yes
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulationl CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Phthalates and bisphenol A intentionally added	No
Design Registration No.	EU 0066180700001-2, GB 90066180700001-2
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	200 Pcs.
Quantity Per Layer (Pallet)	40 Pcs.
Box Length	500 mm
Box Width	360 mm
Box Height	220 mm
Length/Depth	270 mm
Width	150 mm
Height	145 mm
Net Weight	0.24 kg
Weight cardboard (Recycling symbol "20" PAP)	0.037 kg
Tare total	0.037 kg
Gross Weight	0.28 kg
Cubic metre	0.005873 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max. usage temperature (food contact)	100 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	120 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH

<b>GTIN-13 Number</b>	5705022023017
<b>GTIN-14 Number (Box quantity)</b>	15705028023025
<b>Customs Tariff No.</b>	39241000
<b>Country of origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.