
Push-Pull Hoe, 270 mm, Blue







Easily move, spread, mix or remove ingredients with this 2-in-1 function food hoe. The hoe features separate optimised edges and a rugged, hygienic design. Works with all Vikan threaded handles.

Technical Data

Product Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Complies with FDA Regulation (EC) No. 1907/2006 Complies with KEACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 006618070-002 Box Quantity 5 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) Guantity Per Layer (Pallet) 50 Pcs. Box Length Box Width 240 mm Box Width 240 mm Box Height 165 mm Height 128 mm Not Weight 129 "Couloic metre 10,00173 Mis Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 125 pf Max. usage temperature (non food contact) 175 °C Max. usage temperature Min. pH-value in usage concentration 10.5 pf GTIN-13 Number 5705022022812	Item Number	59003
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation ICFR 21¹ Complies with FDA Regulation (EC) No. 1907/2006 Complies with KEACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. Design Registration No. EU 006618070-002 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 350 Pcs. Quantity Per Layer (Pallet) 50 Pcs. Box Length Box Width 240 mm Box Width 240 mm Box Width 5 mm Height 128 mm Net Weight 128 mm Net Weight acrdboard (Recycling symbol "20" PAP) Cubic metre 0.00173 Ma Recommended sterilisation temperature (Autoclave) Max. usage temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10.5 ph GTIN-13 Number 5705022022812	Material	Polyamide
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 006618070-002 Box Quantity Specal Quantity Speca	Product Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 006618070-002 Box Quantity Spec. Quantity Spec. Quantity Per Pallet (80 x 120 x 180-200 cm) Spec. Quantity Per Layer (Pallet) Spec. Box Length Spox Height Length/Depth Spox Height Length/Depth Spox Height Length/Depth Spox Height Length/Depth Spox Height Spec. Weight cardboard (Recycling symbol "20" PAP) Cubic metre Cubic metr	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. BU 006618070-002 Box Quantity 5 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) Box Length Box Length Box Width Box Height Length/Depth Yes Weight Weight Weight Weight Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) Max. usage temperature (Dishwasher) Max. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 006618070-002 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 350 Pcs. Quantity Per Layer (Pallet) 50 Pcs. Box Length Box Width 240 mm Box Height 165 mm Length/Depth 700 mm Width 128 mm Net Weight Net Weight 10.19 kg Weight cardboard (Recycling symbol "20" PAP) 10.03 kg Gross Weight 10.22 kg Cubic metre 10.000173 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max. usage temperature 10.00 CM Max. drying temperature Min. usage temperature Min. usage temperature Min. pH-value in usage Concentration Max. pH-value in Usage Concentration To 10.5 pH GTIN-13 Number EU 006618070-2006 REU 006618070-002 Average Compensation Average Compens	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 006618070-002 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 350 Pcs. Quantity Per Layer (Pallet) 50 Pcs. Box Length Box Width 240 mm Box Width 240 mm Box Height 165 mm Length/Depth 70 mm Width 5 mm Height 128 mm Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 10.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (Dishwasher) Max. usage temperature (non food contact) Min. usage temperature 120 °C Max. drying temperature Min. pH-value in usage concentration 10.5 pH GTIN-13 Number 5705022022812	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. EU 006618070-002 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 350 Pcs. Quantity Per Layer (Pallet) 50 Pcs. Box Length 320 mm Box Width 240 mm Box Height 165 mm Length/Depth 270 mm Width 5 mm Height 128 mm Net Weight 40.19 kg Weight cardboard (Recycling symbol "20" PAP) 10.03 kg Gross Weight Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max. usage temperature (non food contact) Min. usage temperature 120 °C Max. drying temperature Min. pH-value in usage concentration 2 pH Max. pH-value in usage Concentration 10.5 pH GTIN-13 Number	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Design Registration No. EU 006618070-002 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 350 Pcs. Quantity Per Layer (Pallet) 50 Pcs. Box Length 320 mm Box Width 240 mm Box Height 165 mm Length/Depth 270 mm Width 5 mm Height 128 mm Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 10.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature 120 °C Max. drying temperature Min. pH-value in usage concentration 10.5 pH GTIN-13 Number 5705022022812	Complies with California Proposition 65	Yes
Box Quantity Guantity per Pallet (80 x 120 x 180-200 cm) Quantity per Layer (Pallet) Box Length Box Width Box Height Length/Depth Yeight Height 128 mm Net Weight Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration Guantity per Pallet (80 x 120 x 180-200 cm) 350 Pcs. Box Quantity per Layer (Pallet) 5 Pcs. Box Length 5 Pcs. 6 Pcs. 8 Pcs. 8 Pcs. 8 Joy Pcs. 8 J	Complies with Halal and Kosher	Yes
Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 350 Pcs. Quantity Per Layer (Pallet) 50 Pcs. Box Length 320 mm Box Width 240 mm Box Height 165 mm Length/Depth 270 mm Width 5 mm Height 128 mm Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature ³ -20 °C Max. drying temperature 120 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022812	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 50 Pcs. Box Length 320 mm Box Width 240 mm Box Height 165 mm Length/Depth 270 mm Width 5 mm Height 128 mm Net Weight 40 19 kg Weight cardboard (Recycling symbol "20" PAP) 10 19 kg Gross Weight 10 19 kg Cubic metre 10 10 10 12 kg Cubic metre 10 10 10 12 kg Cubic metre 10 10 10 17 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Design Registration No.	EU 006618070-002
Quantity Per Layer (Pallet) Box Length Box Width Box Height Length/Depth 270 mm Width 5 mm Height 128 mm Net Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.00173 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration Grow Width 320 mm 320 mm 320 mm 320 mm 405 mm 405 mm 405 mm 406 mm 407 mm 407 mm 407 mm 408 mm 409 mm 400 mm	Box Quantity	5 Pcs.
Box Length Box Width 240 mm Box Height 165 mm Length/Depth 270 mm Width 5 mm Height 128 mm Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.22 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number	Quantity per Pallet (80 x 120 x 180-200 cm)	350 Pcs.
Box Width 240 mm Box Height 165 mm Length/Depth 270 mm Width 5 mm Height 128 mm Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature (Dishwasher) 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022812	Quantity Per Layer (Pallet)	50 Pcs.
Box Height 165 mm Length/Depth 270 mm Width 5 mm Height 128 mm Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022812	Box Length	320 mm
Length/Depth270 mmWidth5 mmHeight128 mmNet Weight0.19 kgWeight cardboard (Recycling symbol "20" PAP)0.03 kgTare total0.03 kgGross Weight0.22 kgCubic metre0.000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)175 °CMin. usage temperature (non food contact)175 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022022812	Box Width	240 mm
Width 5 mm Height 128 mm Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022812	Box Height	165 mm
Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature (120 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022812	Length/Depth	270 mm
Net Weight 0.19 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022812	Width	5 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total O.03 kg Gross Weight Cubic metre O.000173 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705022022812	Height	128 mm
Tare total 0.03 kg Gross Weight 0.22 kg Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022812	Net Weight	0.19 kg
Gross Weight Cubic metre 0.000173 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705022022812	Weight cardboard (Recycling symbol "20" PAP)	0.03 kg
Cubic metre0.000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022022812	Tare total	0.03 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022022812	Gross Weight	0.22 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022022812	Cubic metre	0.000173 M3
Max. usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022022812	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022812	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022812	Max. usage temperature (food contact)	175 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705022022812	Max usage temperature (non food contact)	175 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022812	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705022022812	Max. drying temperature	120 °C
GTIN-13 Number 5705022022812	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705028022820	GTIN-13 Number	5705022022812
	GTIN-14 Number (Box quantity)	15705028022820

Customs Tariff No. 39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.