Mixer, Small Blade, Ø31 mm, 890 mm, White







Stir food ingredients in large pots and vats with the small mixer. Heat resistant to 170°C.

Do not leave the mixer in the pot/vat when not stirring.

Technical Data

Product Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Box Length Box Width 150 mm Box Width 150 mm Box Width 150 mm Box Height 33 mm Product Diameter 110 Length/Depth 890 mm Width 160 mm Height 160 mm Net Weight 0.92 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total Cubic metre 0.004689 M3 GTIN-13 Number Scrownard Recommended sterillisation temperature (Autoclave) Max. usage temperature (food contact) Max usage temperature (food contact) Max usage temperature (non food contact) 175 °C Max usage temperature (non food contact)	Item Number	70075
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 275 Pcs. Quantity Per Layer (Pallet) 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 1 and Length/Depth Width 160 mm Height 33 mm Net Weight 0.92 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total Gross Weight 0.94 kg Cubic metre 0.004699 M3 GTIN-13 Number F705020700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) Max. usage temperature (food contact) Max usage temperature (food contact) Max usage temperature (non food contact) To yes Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Yes Complies with ReaCH Regulation (EC) No. 1907/2006 Yes Complies with ReaCH Regulation (EC) No. 1907/2006 Yes Complies with ReaCH Regulation (EC) No. 1907/2006 Yes Complies with Reacher Alexander (Pale Alexander (Pale Alexander (Pale Alexander (Pal	Material	Polyamide
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 275 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Box Length 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length/Depth 890 mm Net Weight 0,92 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total 0.0164 kg Gross Weight 0,94 kg Cubic metre 0.004699 M3 GTIN-13 Number 700050700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 175 °C Max. usage temperature (food contact) 175 °C Max. usage temperature (non food contact) 175 °C	Product Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 275 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Box Length 890 mm Box Width 150 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length/Depth 890 mm Width 160 mm Width 160 mm Net Weight 0,92 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total 0,0164 kg Cubic metre 0,004699 M3 GTIN-13 Number 5705020700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 175 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 275 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Box Length 890 mm Box Width 150 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length/Depth 890 mm Width 160 mm Height 33 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total Cubic metre 0.004699 M3 GTIN-13 Number 5705020700750 Customs Tariff No. 29 cm Max. usage temperature (Dishwasher) 175 °C Max. usage temperature (food contact) Max usage temperature (non food contact) Max usage temperature (non food contact) 175 °C Max usage temperature (non food contact) Max usage temperature (non food contact) Max usage temperature (non food contact)	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 275 Pcs. Quantity Per Layer (Pallet) 890 mm Box Width 150 mm Box Width 150 mm Box Height 33 mm Product Diameter 11 mm Length/Depth 890 mm Width 160 mm Height 33 mm Net Weight 90 yes Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total 10 0.0164 kg Cubic metre 10 0.04699 M3 GTIN-13 Number 10 0.04699 M3 GTIN-13 Number 10 0.04699 M3 GTIN-13 Number 10 0.04699 M3 Recommended sterilisation temperature (Autoclave) 11 ° C Max. cleaning temperature (Dishwasher) 175 ° C Max usage temperature (food contact) 175 ° C Max usage temperature (non food contact) 175 ° C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 275 Pcs. Quantity Per Layer (Pallet) 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 131 mm Length/Depth 890 mm Width 160 mm Height 33 mm Net Weight 90 Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total 10 0.0164 kg Gross Weight 10 0.04699 M3 GTIN-13 Number Country of origin Denmark Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact) Max usage temperature (food contact) Max usage temperature (non food contact) Tess Yes Yes Yes Yes Yes Yes Ye	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Width Box Height Box Height Box Height Box Height Boy mm Product Diameter Length/Depth Boy mm Width Height Boy Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total Cubic metre Cubic metre Customs Tariff No. Country of origin Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) 175 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) 275 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Box Length 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length/Depth 890 mm Width 160 mm Width 160 mm Weight 0.92 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total 0.0164 kg Cubic metre 0.004699 M3 GTIN-13 Number 5705020700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) Max. usage temperature (food contact) 175 °C Max usage temperature (food contact) 175 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Max usage temperature (non food contact) 175 °C	Complies with California Proposition 65	Yes
Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 275 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Box Length 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length/Depth 890 mm Width 160 mm Height 33 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.0164 kg Tare total 0.0164 kg Gross Weight 0.94 kg Cubic metre 0.004699 M3 GTIN-13 Number 5705020700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)275 Pcs.Quantity Per Layer (Pallet)0 Pcs.Box Length890 mmBox Width150 mmBox Height33 mmProduct Diameter31 mmLength/Depth890 mmWidth160 mmHeight33 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0164 kgTare total0.0164 kgGross Weight0.94 kgCubic metre0.004699 M3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of originDenmarkRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)0 Pcs.Box Length890 mmBox Width150 mmBox Height33 mmProduct Diameter31 mmLength/Depth890 mmWidth160 mmHeight33 mmNet Weight0.92 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0164 kgTare total0.0164 kgGross Weight0.94 kgCubic metre0.004699 M3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of originDenmarkRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °C	Box Quantity	1 Pcs.
Box Length Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length/Depth 890 mm Width 160 mm Height 33 mm Net Weight 0,92 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total 0,0164 kg Gross Weight 0,94 kg Cubic metre 0,004699 M3 GTIN-13 Number 5705020700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 175 °C Max usage temperature (food contact) 175 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	275 Pcs.
Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length/Depth 890 mm Width 160 mm Height 33 mm Net Weight 0.92 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total 0.0164 kg Gross Weight 0.94 kg Cubic metre 0.004699 M3 GTIN-13 Number 5705020700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C	Quantity Per Layer (Pallet)	0 Pcs.
Box Height 33 mm Product Diameter 31 mm Length/Depth 890 mm Width 160 mm Height 33 mm Net Weight 0,92 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total 0,0164 kg Gross Weight 0,94 kg Cubic metre 0,004699 M3 GTIN-13 Number 5705020700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C	Box Length	890 mm
Product Diameter 31 mm Length/Depth 890 mm Width 160 mm Height 33 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total 0.0164 kg Gross Weight 0.94 kg Cubic metre 0.004699 M3 GTIN-13 Number 5705020700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C	Box Width	150 mm
Length/Depth890 mmWidth160 mmHeight33 mmNet Weight0.92 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0164 kgTare total0.0164 kgGross Weight0.94 kgCubic metre0.004699 M3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of originDenmarkRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °C	Box Height	33 mm
Width 160 mm Height 33 mm Net Weight 0.92 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total 0.0164 kg Gross Weight 0.94 kg Cubic metre 0.004699 M3 GTIN-13 Number 5705020700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C	Product Diameter	31 mm
Height33 mmNet Weight0.92 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0164 kgTare total0.0164 kgGross Weight0.94 kgCubic metre0.004699 M3GTIN-13 Number5705020700750Customs Tariff No.39241000Country of originDenmarkRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °C	Length/Depth	890 mm
Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total 0.0164 kg Gross Weight 0.94 kg Cubic metre 0.004699 M3 GTIN-13 Number 5705020700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C	Width	160 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Tare total 0.0164 kg Gross Weight 0.94 kg Cubic metre 0.004699 M3 GTIN-13 Number 5705020700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C	Height	33 mm
(LDPE)) Tare total 0.0164 kg Gross Weight 0.94 kg Cubic metre 0.004699 M3 GTIN-13 Number 5705020700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C	Net Weight	0.92 kg
Gross Weight Cubic metre 0.004699 M3 GTIN-13 Number 5705020700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact)	Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))	0.0164 kg
Cubic metre 0.004699 M3 GTIN-13 Number 5705020700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C	Tare total	0.0164 kg
GTIN-13 Number 5705020700750 Customs Tariff No. 39241000 Country of origin Denmark Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C	Gross Weight	0.94 kg
Customs Tariff No.39241000Country of originDenmarkRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °C	Cubic metre	0.004699 M3
Country of originDenmarkRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °C	GTIN-13 Number	5705020700750
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (food contact) Max usage temperature (non food contact) 121 °C 121 °C 175 °C	Customs Tariff No.	39241000
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °C	Country of origin	Denmark
Max. usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) 175 °C	Max. cleaning temperature (Dishwasher)	93 °C
	Max. usage temperature (food contact)	175 °C
Min usage temperature ³	Max usage temperature (non food contact)	175 °C
wiiii. usaye teiliperature -20 C	Min. usage temperature ³	-20 °C
Max. drying temperature 120 °C	Max. drying temperature	120 °C

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.