77123

Hygienic Floor Squeegee w/replacement cassette, 400 mm, Blue







Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7732 for replacement blades).

Technical Data

Rubber Rubber Product Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials' Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with EDA Regulation 1CFR 21' Complies with NEACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with Halal and Kosher PFAS, Phthalates and BPA Intentionally added Pat. Pending/Patent No. EP2227129 validates (B0200804800) Box Quantity 101 Quantity per Pallet (80 x 120 x 180-200 cm) 480 Quantity Per Layer (Pallet) 60 Box Width 295 Box Height 210 Length/Depth 400 Width 200 Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LOPE) 0.006 Weight bag (Recycling Symbol "4" Low Density Polyethylene (DO024 0.0024 Gross Weight 0.2 Cubic metre 0.0024 Recommended sterilisation temperature (Autoclave) 12 Max. usage temperature (Dosh contact) 5 Max usage temperature (non food contact) 5	Item Number	77123
Complies with (EC) 1935/2004 on food contact materials1 Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with EDA Regulation1 CFR 211 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. EP2227129 validates 602008048400.9 Box Quantity 101 Quantity per Pallet (80 x 120 x 180-200 cm) 4801 Quantity Per Layer (Pallet) 601 Box Width 295 Box Height 210 Length 415 Box Width 295 Box Height 0.006 (LDPE) 0.006 Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.006 Weight cardboard (Recycling symbol "20" PAP) 0.015 Tare total 0.021 Gross Weight 0.2 Max. cleaning temperature (Dishwasher) 9 Max. usage temperature (food contact) 5 Max usage temperature (non food contact) 100 Min. usage temperature* -2 <th>Material</th> <th>Polypropylene TPE Rubber</th>	Material	Polypropylene TPE Rubber
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 211 Complies with WK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. EP2227129 validate: DK, DE, FR and GB. 602008400.9 Box Quantity 101 Quantity per Pallet (80 x 120 x 180-200 cm) 4801 Quantity Per Layer (Pallet) 601 Box Klight 210 Length 415 Box Width 295 Box Height 210 Length/Depth 400 Width 0.2 Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.006 Weight cardboard (Recycling symbol "20" PAP) 0.015 Tare total 0.021 Gross Weight 0.2 Weight cardboard (Recycling symbol "20" PAP) 12 Max. cleaning temperature (Dishwasher) 9 Max. usage temperature (Dishwasher) 9 Max. usage temperature (non food	Product Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA Regulation CFR 211 Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. EP2227129 validate: DK, DE, FR and GB. 6020080400.9 Box Quantity 101 Quantity per Pallet (80 x 120 x 180-200 cm) 4801 Quantity Per Layer (Pallet) 601 Box Klight 210 Box Klight 210 Length 611 Box Klight 210 Length/Depth 400 Width 295 Box Height 210 Length/Depth 400 Width 0.2 Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.015 Tare total 0.021 Gross Weight 0.2 Quic metre 0.0024 Recommended sterilisation temperature (Autoclave) 12 Max. usage temperature (Dishwasher) 9 Max. usage temperature (food contact)	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. EP2227129 validate: DK, DE, FR and GB. 602008048400.9 Box Quantity 101 Quantity per Pallet (80 x 120 x 180-200 cm) 480 Quantity Per Layer (Pallet) 601 Box Length 415 Box Width 295 Box Height 210 Length/Depth 400 Width 70 Height 105 Net Weight 0.2 Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0063 Weight cardboard (Recycling symbol "20" PAP) 0.015 Tare total 0.0214 Gross Weight 0.2 Max. usage temperature (Dishwasher) 9 Max. usage temperature (non food contact) 10 Min. usage temperatures (non food contact) 10 Min. usage temperatures (non food contact) 10		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. EP2227129 validated DK, DE, FR and GB, 602008048400.9 Box Quantity 101 Quantity per Pallet (80 x 120 x 180-200 cm) 4801 Quantity Per Layer (Pallet) 601 Box Kuith 295 Box Height 210 Length/Depth 400 Width 70 Height 105 Net Weight 0.2 Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (D006 0.00294 Recommended sterilisation temperature (Autoclave) 12 Max. usage temperature (Dishwasher) 9 Max. usage temperature (food contact) 10 Min. usage temperature ³ -2	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. EP2227129 validated DK, DE, FR and GB. 602008048400.9 Box Quantity 10 I Quantity per Pallet (80 x 120 x 180-200 cm) 480 I Quantity Per Layer (Pallet) 60 I Box Length 415 Box Width 295 Box Height 210 Length/Depth 400 Width 70 Height 105 Net Weight 0.2 Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0061 Veight cardboard (Recycling symbol "20" PAP) 0.015 Tare total 0.0214 Gross Weight 0.2 Quic metre 0.00294 Recommended sterilisation temperature (Autoclave) 12 Max. usage temperature (food contact) 5 Max usage temperature (non food contact) 100 Min. usage temperature ⁶ -2	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. EP2227129 validated DK, DE, FR and GB. 602008048400.9 Box Quantity 10 Quantity per Pallet (80 x 120 x 180-200 cm) 480 Quantity Per Layer (Pallet) 60 Box Kight 295 Box Height 210 Length/Depth 400 Width 70 Height 105 Net Weight 0.2 Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0066 Weight cardboard (Recycling symbol "20" PAP) 0.015 Tare total 0.0214 Gross Weight 0.2 Max. cleaning temperature (Dishwasher) 9 Max. usage temperature (food contact) 5 Max usage temperature* -2	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Pat. Pending/Patent No. EP2227129 validated DK, DE, FR and GB. 602008048400.9 Box Quantity 10 Quantity per Pallet (80 x 120 x 180-200 cm) 480 Quantity Per Layer (Pallet) 60 Box Length 415 Box Width 295 Box Height 210 Length/Depth 400 Width 70 Height 105 Net Weight 0.2 Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.006 Weight cardboard (Recycling symbol "20" PAP) 0.015 Tare total 0.0214 Gross Weight 0.2 Max. usage temperature (Dishwasher) 9 Max. usage temperature (non food contact) 10 Min. usage temperature ⁶ -2	Complies with California Proposition 65	Yes
Pat. Pending/Patent No.EP2227129 validated DK, DE, FR and GB. 602008048400.9Box Quantity10 IQuantity per Pallet (80 x 120 x 180-200 cm)480 IQuantity Per Layer (Pallet)60 IBox Length4115Box Width295Box Height210Length/Depth400Width70Height105Net Weight0.2Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0061Gross Weight0.22Gross Weight0.22Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. usage temperature (Dishwasher)9Max. usage temperature (non food contact)100Min. usage temperature3-2	Complies with Halal and Kosher	Yes
DK, DE, FR and GB. 602008048400.9Box Quantity10Quantity per Pallet (80 x 120 x 180-200 cm)480Quantity Per Layer (Pallet)60Box Length415Box Width295Box Height210Length/Depth400Width70Height105Net Weight0.2Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.006Weight cardboard (Recycling symbol "20" PAP)0.015Tare total0.0214Gross Weight0.2Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. usage temperature (food contact)100Min. usage temperature (non food contact)100Min. usage temperature3-2	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)480 1Quantity Per Layer (Pallet)60 1Box Length415Box Vidth295Box Height210Length/Depth400Width70Height105Net Weight0.2Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.006Weight cardboard (Recycling symbol "20" PAP)0.015Tare total0.0214Gross Weight0.2Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. usage temperature (food contact)5Max usage temperature (non food contact)100Min. usage temperature3-2	Pat. Pending/Patent No.	EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9
Quantity Per Layer (Pallet)60 IBox Length415Box Width295Box Height210Length/Depth400Width70Height105Net Weight0.2Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063Weight cardboard (Recycling symbol "20" PAP)0.015Tare total0.0214Gross Weight0.2Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. usage temperature (food contact)5Max usage temperature (non food contact)100Min. usage temperature³-2	Box Quantity	10 Pcs.
Box Length415Box Width295Box Height210Length/Depth400Width70Height105Net Weight0.2Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063Weight cardboard (Recycling symbol "20" PAP)0.015Tare total0.021.Gross Weight0.2Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9Max. usage temperature (non food contact)10Min. usage temperature (an food contact)10Max. usage temperature (an food contact)10Min. usage temperature (an food contact)10	Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs.
Box Width295Box Height210Length/Depth400Width70Height105Net Weight0.2Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0066Weight cardboard (Recycling symbol "20" PAP)0.015Tare total0.0214Gross Weight0.2Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9Max. usage temperature (non food contact)100Min. usage temperature a-2	Quantity Per Layer (Pallet)	60 Pcs.
Box Height210Length/Depth400Width70Height105Net Weight0.2Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063Weight cardboard (Recycling symbol "20" PAP)0.015Tare total0.0214Gross Weight0.2Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9Max. usage temperature (non food contact)100Min. usage temperature3-2	Box Length	415 mm
Length/Depth400Width70Height105Net Weight0.2Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063Weight cardboard (Recycling symbol "20" PAP)0.015Tare total0.0214Gross Weight0.2Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9Max. usage temperature (food contact)100Min. usage temperature3-2	Box Width	295 mm
Width70Height105Net Weight0.2Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063Weight cardboard (Recycling symbol "20" PAP)0.015Tare total0.0214Gross Weight0.2Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9Max. usage temperature (food contact)100Min. usage temperature3-2	Box Height	210 mm
Height105Net Weight0.2Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063Weight cardboard (Recycling symbol "20" PAP)0.015Tare total0.0214Gross Weight0.2Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9Max usage temperature (non food contact)100Min. usage temperature3-2	Length/Depth	400 mm
Net Weight0.2Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063Weight cardboard (Recycling symbol "20" PAP)0.015Tare total0.021Gross Weight0.2Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9Max. usage temperature (food contact)5Max usage temperature (non food contact)100Min. usage temperature3-2	Width	70 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063Weight cardboard (Recycling symbol "20" PAP)0.015Tare total0.0214Gross Weight0.22Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9Max. usage temperature (food contact)5Max usage temperature (non food contact)10Min. usage temperature3-2	Height	105 mm
(LDPE)0.015Weight cardboard (Recycling symbol "20" PAP)0.015Tare total0.0214Gross Weight0.2Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9Max. usage temperature (food contact)5Max usage temperature (non food contact)10Min. usage temperature³-2	Net Weight	0.23 kg
Tare total0.0214Gross Weight0.2Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9Max. usage temperature (food contact)5Max usage temperature (non food contact)10Min. usage temperature³-2		0.0063 kg
Gross Weight0.2Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9Max. usage temperature (food contact)5Max usage temperature (non food contact)10Min. usage temperature³-2	Weight cardboard (Recycling symbol "20" PAP)	0.0151 kg
Cubic metre0.00294Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9Max. usage temperature (food contact)5Max usage temperature (non food contact)10Min. usage temperature³-2	Tare total	0.0214 kg
Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9Max. usage temperature (food contact)5Max usage temperature (non food contact)10Min. usage temperature³-2	Gross Weight	0.25 kg
Max. cleaning temperature (Dishwasher)9Max. usage temperature (food contact)5Max usage temperature (non food contact)100Min. usage temperature³-2	Cubic metre	0.00294 M3
Max. usage temperature (food contact)5Max usage temperature (non food contact)100Min. usage temperature³-20	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100Min. usage temperature³-20	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -2	Max. usage temperature (food contact)	50 °C
	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Max. drying temperature120	Max. drying temperature	120 °C
Min. pH-value in usage concentration2	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020771231
GTIN-14 Number (Box quantity)	15705020771238
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.