Condensation squeegee, 400 mm, Blue







Designed to effectively remove condensation from ceilings and pipes during production, this Condensation Squeegee features drain holes that allow condensation to be collected safely in a bottle or drained away through an attached hose.

Technical Data

Item Number	77163
Material	Polypropylene, TPE Rubber
Product Recycling Symbol "7", Miscellaneous Plastics	Yes
Complies with (EC) 1935/2004 on food contact materials ¹	No
Complies with UK 2019 No. 704 on food contact materials	No
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Pat. Pending/Patent No.	EP2384681 validated in DE, FR and GB. DK177048
Box Quantity	3
Quantity per Pallet (80 x 120 x 180-200 cm)	288
Quantity Per Layer (Pallet)	0
Box Length	445
Box Width	260
Box Height	110
Length/Depth	400
Width	130
Height	80
Net Weight	0.237
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))	0.012
Weight cardboard (Recycling symbol "20" PAP)	0.038
Tare total	0.05
Gross Weight	0.29
Cubic metre	0.00416
Recommended sterilisation temperature (Autoclave)	121
Max. cleaning temperature (Dishwasher)	93
Max usage temperature (non food contact)	100
Min. usage temperature ³	-20
Max. drying temperature	120
Min. pH-value in usage concentration	2
Max. pH-value in Usage Concentration	10.5
GTIN-13 Number	5705020775635
GTIN-14 Number (Box quantity)	15705020775632

Customs Tariff No. 96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.