

Product Datasheet model u-sonic 9308 245

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

**Product
characteristics**

- small goggle with low weight for discharge instead of charge
- slight pressure and homogeneous pressure distribution for a high wearing comfort
- compact geometry for a good combination with other PSE like helmets
- perfect fit by duo component technology
- an innovative ventilation system keeps the eyes comfortable
- lens replacement possible

Technical details	
Frame	
Material	Front piece PP / TPE
Colour	anthracite/lime
Material	Headband synthetic headband
Features	individually adjustable
Colour	anthracite/lime
Manufacturer's ID code	Marking W
Applicable EN norm	166
Field of use	3 (drops and splashes of liquid) 4 (large dust particles)
Low-energy impact	B (120 m/s)
Conformity symbol	CE
Lens	
Material	PC
Thickness	2,1 mm
Coating	uvex supravision excellence
Colour	clear
Filter	Marking 2C-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Low-energy impact	B (120 m/s)
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE

Miscellaneous	
Weight	69 g
Packing	5 spectacles per box 90 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 170