

Breathing Protection

02.03.2021

Product data sheet uvex silv-Air 2220 FFP2 NR D with Carbon



Product information

| Product features | Particle-filtering cup shape mask with exhalation valve Protection level FFP2 Soft material edges for high wearing comfort Continuous head band for a comfortable and secure fit Exhalation valve reduces breathing resistance and build-up of heat and moisture in the mask Flexible and adjustable nose clip Compatible with uvex safety eyewear Soft sealing lip guarantees a secure, comfortable sealed position of the mask Activated carbon filter for odors, gases and vapors below limit value Mask fulfils the requirements of the dolomite dust test (D) | |
|---------------------|---|--|
| Materials | Headband: textile Nose clip: aluminum | |
| | Filter / mask: Melt Blown PP, Polyester | |
| | Sealing lip: PVC foam | |
| | Valve: ABS | |
| Weight | 20 g | |
| Standard | EN 149:2001 + A1:2009 | |

Versions

| Article number | Colour/Version | Retail unit |
|----------------|---|-----------------|
| 8762220 | cup shape mask FFP2, white with valve and | 15 pcs. per box |
| | carbon | |

Packaging sizes

| Box | approx. 135 x 135 x 230 mm |
|--------------|----------------------------|
| Outer Carton | approx. 560 x 430 x 260 mm |

Maximum breathing resistance acc. to EN149 in mbar

| | Inhalation resistance | Inhalation resistance | Exhalation resistance |
|------|-----------------------|-----------------------|-----------------------|
| | 30I/min. | 95I/min. | 160I/min. |
| FFP1 | 0,6 | 2,1 | 3,0 |
| FFP2 | 0,7 | 2,4 | 3,0 |
| FFP3 | 1,0 | 3,0 | 3,0 |

Areas of use*

| The respiratory protection mask can be | Woodworking, softwood, cement, metal, |
|---|---|
| used against solid, aqueous and non- | smog, fine dust, concrete, iron dust, ash, |
| volatile liquid aerosols up to 10 times the | cotton dust, fluoride, carbon fibres, gypsum, |
| respective limit values. | fibre glass, copper, nickel, soot, pollen, |
| | house dust, pet hair. |

^{*}Please note that the above mentioned areas of use are examples only. The selection of PPE needs to be carried out by a competent person, in conjunction with relevant and current legislation.

All respiratory protective devices fall into PPE category III (high risks).

Uvex accepts no liability for any possible harm or damage which may result from this information. This data sheet does not replace a detailed risk assessment nor seeking specialist advise.