



## 19479-711 Trousers with kneepad pockets

ULTIMATE STRETCH - water-repellent - two-toned  
MASCOT® ACCELERATE SAFE



82C44	82C45	82C46	82C47	82C48	82C49	82C50
82C51	82C52	82C54	82C56	82C58	82C60	82C62
82C64	82C66	82C68	90C46	90C47	90C48	90C49
90C50	90C51	90C52	90C54	90C56	90C58	90C60
90C62	76C46	76C47	76C48	76C49	76C50	76C51
76C52	76C54	76C56	76C58			



- Ultimate stretch material provides unique freedom of movement and high comfort.
- The water-repellent multifunctional stretch material combines a low weight with a very high durability.
- Ergonomically shaped trouser legs are constructed to follow the body's natural movements.
- Reinforced ruler pocket.
- Prepared for holster pockets 19450-126, which are attached with buttons.
- The kneepad pockets of durable CORDURA® are adjustable so the kneepads have the optimal position on your knees.

### Technical info

Fluorescent and with reflective tape. Has a water-repellent finish. Two-toned. ULTIMATE STRETCH fabric that is lightweight and durable. Double stitched seams on the leg and crotch. Hidden stud fastening. Ergonomically formed trouser leg. Belt loops. D-ring. Fly with zip. Front pockets. Back pockets with reinforcement. Adjustable hammer loop. Reinforced ruler pocket. Button for knife attachment. Thigh pockets with flaps. Adjustable kneepad pockets made from durable CORDURA® (500 D). Thigh pocket with phone pocket and flap with hook and loop band fastening. With print effects. Prepared for holster pockets 19450-126, which are attached with buttons. Each standard leg length can be lengthened by 3 cm by releasing the internal red stitching. Co-certified together with kneepad type large in accordance with EN 14404-3.

### User



### Main material/upper material

92% polyester/8% elastane  
265 g/m<sup>2</sup>



ULTIMATE STRETCH. Shrinkage max. 2%. The product is certified to retain its properties with 50 domestic washes.

### Industrial care category C2

**CORDURA**  
F A B R I C

### Certifications



- OEKO-TEX® STANDARD 100
- EN ISO 20471 - class 2
- Hi-Vis Group Y

### Logo

As the product is made of stretch material, a stretchable transfer must be used when printing on the product. You should choose a transfer that can be heated to a maximum of 145 degrees when being printed onto the product. Remember to check the washing instructions for the chosen transfer before washing the product.

The product is certified with a maximum logo area of (82+90 cm) 0,1000 m<sup>2</sup>, (76 cm) 0,0700m<sup>2</sup>. This approved area must not be exceeded. Logos respectively on the front or back of the product, can only constitute a maximum of 50% of the total approved logo area in order to maintain the EN ISO 20471-certification. Note: The listed area is only a guide to how much space is available for logo placement. In order to maintain the product's hi-vis class according to EN ISO



20471, the instructions on logo size must be observed.

**Logo placement:**

- Workwear logo. Over left front pocket. Max 11x6 cm/4.3x2.3 inches
- Workwear logo. Over right front pocket. Max 11x6 cm/4.3x2.3 inches
- Workwear logo stretch. Left back pocket. Max 11X4 cm/4.3x1.5 inches
- Workwear logo stretch. Right back pocket. Max 11X4 cm/4.3x1.5 inches
- Workwear logo stretch. Horizontal on right thigh. Max 9X6 cm/3.5x2.3 inches
- Workwear logo stretch. Horizontal on left thigh. Max 9X6 cm/3.5x2.3 inches
- Workwear logo. Special placement. Contact to discuss further



